





































03 系列模块式叠加阀

种类	名称	型号代码	JIS符号	最大工作压力 MPa {kgf/cm ² }	最大流量 ℓ/min	高度 mm	重量 kg	压力调节范围 开启压力 MPa {kgf/cm ² }				
方向控制阀	电磁阀	KSO-G03		35 {350}	130 (AC) 160 (DC)	-	-	-				
压力控制阀	P口溢流阀	MR-03P-※-40		25 {250}	80	55	3.4	压力调节范围 1:0.7~7 {7~70} 3:3.5~25 {35~250}				
	AB口溢流阀	MR-03W-※-45					3.9	压力调节范围 1:0.8~7 {8~70} 3:3.5~25 {35~250}				
	P口减压阀	MG-03P-※※-40		25 {250} 16 {160}			4	3.9	压力调节范围 03:0.3~7 {3~70} 1:0.7~7 {7~70} 3:3.5~25 {35~250}			
	A口减压阀	MG-03A-※※-40										
	B口减压阀	MG-03B-※※-40										
	P口程序阀	MQ-03P-2※-40										
	B口背压阀	MQ-03B-1※-40		25 {250}			3.9			压力调节范围 A:0.25~0.85 {2.5~8.5} C:0.5~3.5 {5~35} E:2~14 {20~140}		
	A口背压阀	MQC-03A-1※-40										
	B口背压阀	MQC-03B-1※-40										
	制动阀	MB-03W-※-45		25 {250}							30	4.8
流量控制阀	P口节流阀	MT-03P-40		25 {250}	80	55					2.3	-
	出口调节 AB口节流阀	MT-03W-40									3.1	单向阀开启压力 0.16 {1.6}
	进口调节 AB口节流阀	MT-03Wi-40										
	P口流量 调节阀	MF-03P-45						60	-			

H

种类	名称	型号代码	JIS符号	最大工作压力 MPa {kg/cm ² }	最大流量 ℓ/min	高度 mm	重量 kg	压力调节范围 开启压力 MPa {kg/cm ² }
流量控制阀	出口调节 AB口流量 调节阀	MF-03W-45		25 {250}	60	55	5	单向阀开启压力 0.1 {1}
	出口调节 A口流量 调节阀	MF-03A-45					4.6	
	出口调节 B口流量 调节阀	MF-03B-45					5	
	进口调节 AB口流量 调节阀	MF-03Wi-45					4.6	
	进口调节 A口流量 调节阀	MF-03Ai-45						
	进口调节 B口流量 调节阀	MF-03Bi-45						
方向控制阀	P口单向阀	MC-03P-※※-40		25 {250}	80	55	2.1	单向阀开启压力 05:0.05 {0.5} 45:0.45 {4.5}
	A口单向阀	MC-03A-※※-40						
	B口号单向阀	MC-03B-※※-40						
	T口单向阀	MC-03T-※※-40					2.9	
	AB口单向阀	MC-03AB-※※-40					3.5	
	真空单向阀	MC-03W-40-56					4.5	单向阀开启压力 0.01 {0.1}
	AB口先导 单向阀	MP-03W-※※-40					3.5	单向阀开启压力 20:0.2 {2} 50:0.5 {5}
	A口单向阀	MP-03A-※※-40						
	B口单向阀	MP-03B-※※-40						

种类	名称	型号代码	JIS符号	最大工作压力 MPa {kgf/cm ² }	最大流量 ℓ/min	高度 mm	重量 kg	压力调节范围 开启压力 MPa {kgf/cm ² }	
阀块及安装螺栓	P口压力取出块	BG-03PP-40-40		25 (250)	80	55	2.6	-	
	PT口压力取出块	BS-03PT-40-70							
	盲孔板	BS-03-40					26.5	2.6	-
	旁路块	BD-03PA-40				80	32	1.4	-
	旁路块	BE-03-40							
	旁路块	BH-03-40							
	集流腔块	BT-※03-40	-				95		※: 连接数 (1-6 连接)
	安装螺栓	HB30※ SB30※	-			-	-	-	带孔六角螺栓: M6 短螺栓: M6